

P Type

Double Action Crash Door



Applications:

Supermarkets

Warehouse

Retail Outlets

Food Processing

About DorteK Retail

Dortek have over 40 years' experience in designing, manufacturing and installation of door systems for the retail industry including supermarkets and all major retail chains across the UK, Ireland and Europe. Our dedicated retail department combines experience and a tradition of craftsmanship with the most efficient production techniques to ensure that even large, fast-track projects can be handled effectively. Substantial investment in manufacturing technology, product development and customer relationship programmes ensure that all our customers receive the highest possible levels of service and product from manufacture through to installation.

P Type - Polyethylene Doors

Dortek's P Type, polyethylene door range is 100% recyclable, easy to operate and tough. All doors have been specifically designed to offer reliable, safe and durable operation, meeting the increasing demands of retail and warehouse environments. This high density product is easy to clean and is ideal for supermarket warehouses and areas where a strong robust door is needed.

Some of the main features include:

- Water resistant.
- Lightweight and user friendly, ideal for heavy traffic.
- Door frame options to suit different wall constructions.
- Double action hinges.
- Can be fitted with protection.
- Windows flush with both sides of the door surface.

Dortek P Type suitability for all food and retail applications


Some of the following facilities are suitable for P Type doors:

- Supermarkets
- Warehouses
- Bakeries
- Food processing factories
- Postal/Sorting offices



P Type

Double Action Crash Door




Hinge & Swing Detail

Integral spring hinges with 180 degree swing manufactured in stainless steel. Available in either "no stop" or 90 degree open versions. 2 No per leaf with additional hinges fitted depending on size.

Protection

White polyethylene or Black polyethylene tear-drop bumpers 250mm high. Impact height from finished floor level to be specified. 10mm or 15mm thick polyethylene cladding to a height of 800mm (Grey or White).



Vision Panels

P Type double action doors are supplied as standard with flush 15mm acrylic vision panels.

Efficient project management

Our in-house teams each have extensive experience in design, development, project management, manufacturing, installation and service. With years of experience in specialist bespoke food industry and retail door systems, we use our detailed technical know-how to provide a solution based on your needs. Examples of some difficult environments where our door systems are required include:

- Traffic direction
- Privacy
- Cool air/Temperature

At Dortek, we realise the requirements of the food and retail industry and always assess them so that our product is aligned and best suited to your application.



Technical Specifications

L20/480 HINGED HYGIENIC DOOR SETS

Dortek P Type Double Action Swing Door Sets

Manufacturer: Dortek Ltd St Mark Street Hull HU8 7ED United Kingdom
Tel +44 (0) 1482 226848
Fax +44 (0) 1482 226843
e-mail: info@dortek.com

Door: Dortek P Type Double Action Swing Door.

Sizes: 15mm thick.

Door leaf: The door blades are solid high density polyethylene.

Finish: Smooth with built in colour.

Door frame: 40mm x 80mm RHS (Rolled hollow steel) frame powder coated white.

Hinges: Stainless steel hinges with 180 degree swing. With 'hold open' or 'no-stop' facility.

Glazing: 2 No. 15mm thick flush fitting acrylic vision panels per blade.

Protection: PVC seal to the full height of the leading edge on each blade. PE bumpers, 10mm or 15mm thick to height of 800mm to each side of both door blades. In Dust Grey (RAL7037) or Graphite Grey (RAL7024) inc cut out for bottom window.

Fixing: In accordance with manufacturers recommendations and dependent on wall type.



100% Recyclable, Low Maintenance Door Sets

At Dorteck we consistently look at ways to reduce our carbon footprint.
We are a low-energy manufacturer and all our products are recyclable.



Steel Door
Fire-rated steel hinged door



Steel Fire Door
Steel hinged fire exit door



F Type (with automation)
Automatic GRP single action fire doors




P Type
Double action crash door



Loading Bay Door
Sectional overhead door



K Type
GRP double action security door with code-lock



DT 250
Hermetically sealing chill room sliding door



DT 400
Hermetically sealing freezer room sliding door



S Type
double action GRP traffic doors 'S' or 'R' type available



F Type
Fire-rated GRP single action door



Dorteck Limited, UK
St Mark Street
Hull HU8 7ED
Tel: +44 (0) 1482 226 848
Fax: +44(0) 1482 226 843

Dorteck Limited, Ireland
North Quay, Wicklow Town,
Co. Wicklow, Ireland
Tel: +353 (0) 404 67101
Fax: +353 (0) 404 67012

Email: sales@dorteck.com

www.dorteckretaildoors.com